


REVISION HISTORY							
REV.	DESCRIPTION	DATE					
03	REVISED PER P13012	2017-10-09					
Α	INITIAL RELEASE PER P13012	2017-10-10					
В	REVISED PER P13012	2021-04-15					

<u>SPECIFICATIONS</u>

1. CERTIFICATIONS: ECE R10;

Note: Unique components, accessories, and hardware kits are not typically Included in the Product Certification Test Protocols. Unless otherwise Specified, the Product Certifications referred to herein are predicated upon the base product model configuration.

- 2. VOLTAGE (NOMINAL): 5 VDC
- 3. VOLTAGE (EXTREME): 5 VDC
- 4. CURRENT (PEAK): 0.5A (@ 5 VDC NOMINAL)
- 5. POWER (MAXIMUM): 2.5W (@ 5 VDC NOMINAL)
- 6. TEMPERATURE RANGE: -22°F (-30°C) TO 122°F (50°C)
- 7. CONNECTION: 4-24 AWG CABLE W/ CONNECTOR
- 8. MOUNTING: ADHESIVE, BRACKET
- 9. BASE MATERIAL: POLYCARBONATE
- 10. PRODUCT WEIGHT: 0.30LBS (0.14Kg)



NOTES:

- 1. ROHS COMPLIANT
- 2. WIRES NOT SHOWN FOR CLARITY
 WIRE DIMENSION IS 22.50±0.50[573±13] FROM WIRE EXIT
 TO BACK OF CONNECTOR
- 3. DIMENSIONS IN INCHES[MILLIMETERS (FOR REFERENCE)]

PROPRIETARY AND CONFIDENTIAL INFORMATION

HIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEBEN ARE THE PROPERTY OF ELECTRONIC CONTROLS COMPANY AND/OR ITS ECCO SAFTY GROUP AFFILIATES ("ECCO") AND IS SISUED IN CONFIDENCE TO RECIPIENT FOR ENGINEERING INFORMATION PURPOSES ONLY. HIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HEBEN MAY NOT BE USED. COPIED, REPRODUCED OR OTHER WISE DISCLOSED IN PART OR IN WHICH IS OTHER DAWLING ON ISED FOR ANY OTHER PURPOSE WITHOUT PROPERCY. ECCO, WITHIN CONSENT, ECCO, RESERVES ALL PARTIES, COPPRESSING IN WHICH IS OTHER DAWLING ON ISED FOR ANY OTHER PURPOSE WITHOUT PROPERCY. CONSENT IN CORP. GRESSY'S ALL PARTIES, COPPRESSING IN WHICH IS OTHER DAWLING ON ISED FOR ANY OTHER PURPOSE. WITHOUT PROPERCY CONSENT IN CORP. SERVES ALL PARTIES, COPPRESSING AND PROPERCY. THE PROPERCY OF THE PROPERCY O

		SCALE 1:1.15		APPROVALS	DATE				
CAD GENERATED DRAWING				DRAWN BY MDH	2021-04-13	ECCO' www.eccolink.com			
	DO NOT MANUALLY UPDATE. MODEL REFERENCED: B			CHECKED BTK	2021-04-14				
Ī	TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:		MECH. ENG.		Americas (800) 635-5900 Europe +44 (0)113 237 5340 Asia Pacific +61 (0)3 63322444				
М	MILLIMETERS DECIMALS	X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02	ANGLES ± 0.5°	ELEC. ENG.		CON	NTROLLER, 12+	+ PRO VANTAGE SE	RIES
4	XX. ± 1.0mm XX.X ± 0.5mm		FRACTIONS	TEST ENG.		CUSTOMER PART NO. EZ 1202			
┪	TIME		± 1/64	SALES.	<u>E</u> /	EZ 1202	<u>/</u>		
	THIRD ANGLE PROJECTION				SIZE: A	DWG. NO.	EZ1202	REV.	
			Electronically Controlled Use Latest Copy		SHEET 1 OF 1	Project: P13012	Date Created: 2017-04-26	В	