SAFETY DATA SHEET
Holts Spray Grease

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Holts Spray Grease
Product number	HMAI0101A, HMAI0102A, SG6R6C, HMAI0101B, HMTN0006A
UFI	UFI: YNQ5-20QD-E00T-1QWF
REACH registration notes	This is a MIXTURE; no registration information contained in this document . Holts are classed as Downstream User.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Car maintenance product. Grease.

1.3. Details of the supplier of the safety data sheet

Company	:	JASA AG Müslistrasse 43 8957 Spreitenbach Schweiz info@jasa-ag.ch, www.jasa-ag.ch
Telephone	:	+41 (0)44 431 60 70
Telefax	:	+41 (0)44 432 63 17

Responsible Department : Productmanagement, Tel: +41 (0)44 431 60 70, sds@jasa-ag.ch

1.4 Emergency telephone

Emergency telephone : Tox Info Suisse (STIZ), Tel: 145

Holts Spray Grease

National emergency telephone number

+43 1 31304 5620; chemikalien@umweltbundesamt.at (Austria)
+32022649636; info@poisoncentre.be (Belgium)
+359 2 9154 409; poison_centre@mail.orbitel.bg (Bulgaria)
+38514686910; toksikologija@hzjz.hr (Croatia)
+35722405611; cy-chemregistry@dli.mlsi.gov.cy (Cyprus)
+420267082257; biocidy@mzcr.cz (Czech Republic)
+45 72 54 40 00; mst@mst.dk (Denmark)
+372 794 3500; clp@terviseamet.ee, info@terviseamet.ee (Estonia)
+358 5052 000; kirjaamo@tukes.fi (Finland)
+ 33 3 83 85 21 92; bnpc@chru-nancy.fr (France)
+49-30-18412-0; bfr@bfr.bund.de (Germany)
+302106479250; +302106479450; devxp.gcsl@aade.gr, environment.gcsl@aade.gr (Greece)
+36 (1) 476 1135; clp.ca@nnk.gov.hu (Hungary)
+354 543 22 22; eitur@landspitali.is (Iceland)
+353 (1) 809 2166 / +353 (1) 809 2566; chemicalsinfo@beaumont.ie (Ireland)
+390649906140; inscweb@iss.it (Italy)
+371 67032600; lvgmc@lvgmc.lv (Latvia)
+370 70662008; aaa@aaa.am.lt (Lithuania)
+320 22649636; +352 24785551; info@poisoncentre.be; direction-sante@ms.etat.lu (Luxembourg)
+356 2395 2000; info@mccaa.org.mt (Malta)
+31 88 75 585 61; productnotificatie@umcutrecht.nl (The Netherlands)
+4573580500; produktregisteret@miljodir.no / +47 21 07 70 00; folkehelseinstituttet@fhi.no (Norway)
+48 42 2538 400; biuro@chemikalia.gov.pl (Poland)
+351 800 250 250; ciav.tox@inem.pt (Portugal)
+40213183606; infotox@insp.gov.ro (Romania)
+7 495 621 6885; +7 495 628 1687; rtiac@mail.ru; rtiac2003@yahoo.com (Russia)
+421 2 5465 2307; ntic@ntic.sk (Slovakia)
+ 386 1 522 1293; gp.ukc@kclj.si (Slovenia)
+34 917689800; intcf.doc@justicia.es (Spain)
+46104566750; giftinformation@gic.se (Sweden)
+44 121 507 4123; allistervale@npis.org, sallybradberry@npis.org (UK)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards Skin Irrit. 2 - H315 STOT SE 3 - H336

Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms

Signal word Danger

Holts Spray Grease

Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing spray. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with national regulations.
UFI	UFI: YNQ5-20QD-E00T-1QWF
Contains	Hydrocarbons, C6, isoalkanes, <5% n-hexane, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Supplementary precautionary statements	P332+P313 If skin irritation occurs: Get medical advice/ attention.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hydrocarbons, C6, isoalkanes, <5% n-hexane **10-30%**

CAS number: 64742-49-0 EC number: 931-254-9 REACH registration number: 01-2119484651-34-XXXX

Classification
Flam. Liq. 2 - H225
Skin Irrit. 2 - H315
STOT SE 3 - H336
Asp. Tox. 1 - H304
Aquatic Chronic 2 - H411

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics **10-30%**

CAS number: 64742-49-0 EC number: 927-510-4 REACH registration number: 01-2119475515-33-XXXX

Classification
Flam. Liq. 2 - H225
Skin Irrit. 2 - H315
STOT SE 3 - H336
Asp. Tox. 1 - H304
Aquatic Chronic 2 - H411

Holts Spray Grease

BUTANE		**10-30%**
CAS number: 106-97-8	EC number: 203-448-7	REACH registration number: 01-2119474691-32-XXXX
Classification Flam. Gas 1A - H220 Press. Gas		

PROPANE		**5-10%**
CAS number: 74-98-6	EC number: 200-827-9	REACH registration number: 01-2119486944-21-XXXX
Classification Flam. Gas 1A - H220		

ISOBUTANE		**5-10%**
CAS number: 75-28-5	EC number: 200-857-2	REACH registration number: 01-2119485395-27-XXXX
Classification Flam. Gas 1A - H220 Press. Gas		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air at once. Keep affected person warm and at rest. Get medical attention immediately.

Ingestion Rinse mouth thoroughly with water. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting.

Skin contact Remove affected person from source of contamination. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Vapours may cause headache, fatigue, dizziness and nausea. May cause eye and respiratory system irritation.

Ingestion May cause discomfort if swallowed.

Skin contact Causes skin irritation. Prolonged or repeated exposure may cause severe irritation.

Eye contact May cause eye irritation. Prolonged or repeated exposure may cause severe irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

Holts Spray Grease

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire. Extinguish with foam, carbon dioxide, dry powder or water fog.

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion products Oxides of carbon.

5.3. Advice for firefighters

Protective actions during firefighting Containers close to fire should be removed or cooled with water. Move containers from fire area if it can be done without risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapours and contact with skin and eyes. No smoking, sparks, flames or other sources of ignition near spillage. Wear protective clothing and gloves.

6.2. Environmental precautions

Environmental precautions Toxic to aquatic life with long lasting effects. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid spilling. Provide adequate ventilation. Avoid inhalation of vapours and contact with skin and eyes. Use approved respirator if air contamination is above an acceptable level. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Do not expose to temperatures exceeding 50°C/122°F.

Storage class Flammable compressed gas storage. Aerosol containers and lighters

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

BUTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³
Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³

ISOBUTANE

Holts Spray Grease

Long-term exposure limit (8-hour TWA): OES 800 ppm
Short-term exposure limit (15-minute): OES 800 ppm
WEL = Workplace Exposure Limit.

Hydrocarbons, C6, isoalkanes, <5% n-hexane (CAS: 64742-49-0)

DNEL	Workers - Inhalation; Long term systemic effects: 1286.4 mg/m³ Workers - Inhalation; Long term local effects: 837.5 mg/m³ Workers - Inhalation; Short term local effects: 1066.67 mg/m³ General population - Inhalation; Long term systemic effects: 1152 mg/m³ General population - Inhalation; Long term local effects: 178.57 mg/m³

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CAS: 64742-49-0)

DNEL	Workers - Inhalation; Long term systemic effects: 2085 mg/m³ Workers - Dermal; Long term systemic effects: 300 mg/kg/day General population - Inhalation; Long term systemic effects: 447 mg/m³ General population - Dermal; Long term systemic effects: 149 mg/kg/day General population - Oral; Long term systemic effects: 149 mg/kg/day

8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Provide adequate general and local exhaust ventilation.
Eye/face protection	The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Rubber (natural, latex). To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygiene measures	Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash skin thoroughly after handling. Use appropriate skin cream to prevent drying of skin. Do not eat, drink or smoke when using this product. Do not smoke in work area.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Brown.
Odour	Solvent.
Flash point	< 0°C
Relative density	0.790 @ 20°C

Holts Spray Grease

9.2. Other information

Volatile organic compound This product contains a maximum VOC content of 66 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Acrid smoke or fumes. Carbon dioxide (CO2). Carbon monoxide (CO).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD_{50}) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD_{50}) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC_{50}) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Holts Spray Grease

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not relevant.

Inhalation Vapours may cause headache, fatigue, dizziness and nausea. Extensive use of the product in areas with inadequate ventilation may result in the accumulation of hazardous vapour concentrations. May cause eye and respiratory system irritation. Symptoms following overexposure may include the following: Headache.

Ingestion May cause discomfort if swallowed.

Skin contact Causes skin irritation. Prolonged or repeated exposure may cause severe irritation.

Eye contact May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation.

Route of exposure Inhalation Skin and/or eye contact

Toxicological information on ingredients.

Hydrocarbons, C6, isoalkanes, <5% n-hexane

Acute toxicity - oral

Notes (oral LD_{50}) LD_{50} > 16750 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD_{50}) LD_{50} 3350 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC_{50}) LC50 259354 mg/m³, Inhalation, Rat

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Negative.

Holts Spray Grease

Genotoxicity - in vivo	Negative.

Carcinogenicity

Carcinogenicity	Based on available data the classification criteria are not met. NOAEC 31680 mg/m³, Inhalation, Mouse

Reproductive toxicity

Reproductive toxicity - fertility	Two-generation study - NOAEC 31680 mg/m³, Inhalation, Rat F1, F2

Specific target organ toxicity - single exposure

STOT - single exposure	Central and/or peripheral nervous system damage.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure	Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard	May be fatal if swallowed and enters airways.

Inhalation	May cause drowsiness or dizziness.
Ingestion	May be fatal if swallowed and enters airways.
Skin contact	May be slightly irritating to skin.
Eye contact	May be slightly irritating to eyes.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Acute toxicity - oral

Notes (oral LD_{50})	LD_{50} > 5840 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD_{50})	LD_{50} > 2920 mg/kg, Dermal, Rat

Acute toxicity - inhalation

Notes (inhalation LC_{50})	LC50 > 23300 mg/m³, Inhalation, Rat

Skin corrosion/irritation

Skin corrosion/irritation	Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation	Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation	No information available.

Skin sensitisation

Skin sensitisation	Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro	Negative with metabolic activation. Negative without metabolic activation.
Genotoxicity - in vivo	No specific test data are available.

Holts Spray Grease

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - NOAEC 31680 mg/m³, Inhalation, Rat F1, F2

Specific target organ toxicity - single exposure

STOT - single exposure Central and/or peripheral nervous system damage.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard May be fatal if swallowed and enters airways.

Inhalation May cause drowsiness or dizziness.

Ingestion May be fatal if swallowed and enters airways.

Skin contact Causes skin irritation.

Eye contact May be slightly irritating to eyes.

Target organs Central nervous system

BUTANE

Acute toxicity - oral

Acute toxicity oral (LD_{50} mg/kg) 5,000.0

Species Rat

PROPANE

Acute toxicity - oral

Acute toxicity oral (LD_{50} mg/kg) 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

ISOBUTANE

Acute toxicity - oral

Acute toxicity oral (LD_{50} mg/kg) 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Holts Spray Grease

12.1. Toxicity

Ecological information on ingredients.

Hydrocarbons, C6, isoalkanes, <5% n-hexane

Acute aquatic toxicity

Acute toxicity - fish	LC_{50}, 96 hours: 18.27 mg/l, QSAR
Acute toxicity - aquatic invertebrates	EC_{50}, 48 hours: 31.9 mg/l, QSAR
Acute toxicity - aquatic plants	EL50, 72 hours: 13.56 mg/l, QSAR
Acute toxicity - microorganisms	EL50, 48 hours: 15.81 mg/l, QSAR

Chronic aquatic toxicity

Chronic toxicity - fish early life stage	NOELR, 28 days: 4.089 mg/l, QSAR
Chronic toxicity - aquatic invertebrates	NOELR, 21 days: 7.138 mg/l, QSAR

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Acute aquatic toxicity

Acute toxicity - fish	LL_{50}, 96 hours: 13.4 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute toxicity - aquatic invertebrates	EC_{50}, 48 hours: 3 mg/l, Daphnia magna NOEL, 48 hours: 2 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EL50, 72 hours: 10 mg/l, Raphidocelis subcapitata NOEL, 72 hours: 6.3 mg/l, Raphidocelis subcapitata
Acute toxicity - microorganisms	EL50, 48 hours: 26.81 mg/l, Tetrahymena pyriformis

Chronic aquatic toxicity

Chronic toxicity - fish early life stage	NOELR, 28 days: 1.534 mg/l, QSAR
Chronic toxicity - aquatic invertebrates	NOELR, 21 days: 1 mg/l,

12.2. Persistence and degradability

Ecological information on ingredients.

Hydrocarbons, C6, isoalkanes, <5% n-hexane

Persistence and degradability	98% 28 days Rapidly degradable

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Persistence and degradability	98% 28 days Rapidly degradable

12.3. Bioaccumulative potential

Holts Spray Grease

Bioaccumulative potential Bioaccumulation is unlikely.

Ecological information on ingredients.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Bioaccumulative potential No information available.

Partition coefficient Scientifically unjustified. UVCB

12.4. Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

12.5. Results of PBT and vPvB assessment

Ecological information on ingredients.

Hydrocarbons, C6, isoalkanes, <5% n-hexane

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers must not be punctured or incinerated because of the risk of an explosion.

SECTION 14: Transport information

General As supplied, this product is consigned under the Limited Quantities provisions.

14.1. UN number

UN No. (ADR/RID) 1950

UN No. (IMDG) 1950

UN No. (ICAO) 1950

UN No. (ADN) 1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID) AEROSOLS

Proper shipping name (IMDG) AEROSOLS (CONTAINS Hydrocarbons, C6, isoalkanes, <5% n-hexane, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)

Proper shipping name (ICAO) AEROSOLS

Proper shipping name (ADN) AEROSOLS

Holts Spray Grease

14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels

14.4. Packing group

ADR/RID packing group	None
IMDG packing group	None
ICAO packing group	None
ADN packing group	None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

Holts Spray Grease

EU legislation

Council Directive of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers (75/324/EEC) (as amended).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Commission Regulation (EU) No 453/2010 of 20 May 2010.
Commission Regulation (EU) No 2015/830 of 28 May 2015.

Authorisations (Annex XIV Regulation 1907/2006)

No specific authorisations are known for this product.

Restrictions (Annex XVII Regulation 1907/2006)

No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE: Acute Toxicity Estimate.
BOD: Biochemical Oxygen Demand.
CAS: Chemical Abstracts Service.
DNEL: Derived No Effect Level.
EC_{50}: 50% of maximal Effective Concentration.
GHS: Globally Harmonized System.
IARC: International Agency for Research on Cancer.
IATA: International Air Transport Association.
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IMDG: International Maritime Dangerous Goods.
LC_{50}: Lethal Concentration to 50 % of a test population.
LOAEC: Lowest Observed Adverse Effect Concentration.
LOAEL: Lowest Observed Adverse Effect Level.
LOEC: Lowest Observed Effect Concentration.
NOAEC: No Observed Adverse Effect Concentration.
NOAEL: No Observed Adverse Effect Level.
NOEC: No Observed Effect Concentration.
PBT: Persistent, Bioaccumulative and Toxic substance.
PNEC: Predicted No Effect Concentration.
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
SVHC: Substances of Very High Concern.
UVCB - Unknown or variable composition, complex reaction products or Biological materials.
vPvB: Very Persistent and Very Bioaccumulative.

Classification procedures according to Regulation (EC) 1272/2008

Aerosol 1 - H222, H229: Calculation method. Skin Irrit. 2 - H315: Calculation method. STOT SE 3 - H336: Calculation method. Aquatic Chronic 2 - H411: Calculation method.

Revision date

08/12/2021

Holts Spray Grease

Revision	4
Supersedes date	10/06/2021
SDS number	14436
Hazard statements in full	H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: may burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.